## AMENDMENT TO THE CLAIMS

1. (Currently Amended) A rooftop used in combination with <u>a</u> vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep type vehicles, comprising:

A) a substantially rectangular top wall having first, second, third, and fourth ends, said first and second ends parallel and equally spaced apart from each other by said third and fourth ends, said first end removably secured to a windshield frame of a vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep jeep-type vehicle, said substantially rectangular top wall also having first and second elongated wedges; and

B) first and second side walls extending substantially perpendicularly from said third and fourth ends to form the a rooftop for said jeep type vehicle, said first and second side walls terminating at first and second bases respectfully and mount upon said jeep type vehicle, said rooftop only covering a driver and front passenger cabin of said jeep type vehicle, further characterized in that said first and second elongated wedges extend from said first end to said first and second bases, said first and second elongated wedges having cooperative characteristics to receive door window frames of said vehicle when said door window frames are in a closed position.

2. (Cancelled)

3. (Currently Amended) The rooftop used in combination with <u>a</u> vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep jeep type vehicles set forth in claim <u>12</u>, further characterized in that said substantially rectangular top wall has a reinforced area defined as a support wall for structural integrity.

4. (Currently Amended) The rooftop used in combination with <u>a</u> vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep jeep type vehicles set forth in claim 3, further characterized in that said substantially rectangular top wall has a sunroof assembly built within said support wall, said sunroof assembly at a first predetermined distance from said first end extending towards said second end without reaching said second end.

5. (Currently Amended) The rooftop used in combination with a vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep jeep type vehicles set forth in claim 4, further characterized in that said rooftop is filled with a filler material to reduce ultra violet radiation and reduce exterior noise within said driver and front passenger cabin of said jeep type vehicle.

6. (Currently Amended) The rooftop used in combination with <u>a</u> vehicle suitable for traveling over rough terrain having four wheels and

exhibiting the characteristics or capable of exhibiting the characteristics of a jeep jeep type vehicles set forth in claim 5, further characterized in that said rooftop is made of a hard, lightweight, weatherproof plastic material.

7. (Cancelled)

**8.** (Cancelled)

**9.** (Cancelled)

10. (New) The rooftop used in combination with a vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep set forth in claim 6, further characterized in that said vehicle is a CJ-7 or wrangler.

11. (New) A detachable rooftop used in combination with a vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep, comprising:

A) a substantially rectangular top wall having first, second, third, and fourth ends, said first and second ends parallel and equally spaced apart from each other by said third and fourth ends, said first end removably secured to a windshield frame of a vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep, said substantially rectangular top wall also having first and second elongated wedges; and

B) first and second side walls extending substantially perpendicularly from said third and fourth ends to form the detachable rooftop for said vehicle, said first and second side walls terminating at first and second bases respectfully and mount upon said vehicle, said detachable rooftop only covering a driver and front passenger cabin of said vehicle, further characterized in that said first and second elongated wedges extend from said first end to said first and second bases, said first and second elongated wedges having cooperative characteristics to receive door window frames of said vehicle when said door window frames are in a closed position, said substantially rectangular top wall has a reinforced area defined as a support wall for structural integrity, said substantially rectangular top wall has a sunroof assembly built within said support wall, said sunroof assembly at a first predetermined distance from said first end extending towards said second end without reaching said second end, said detachable rooftop is filled with a filler material to reduce ultra violet radiation and reduce exterior noise within said driver and front passenger cabin of said vehicle, said detachable rooftop is made of a hard, lightweight, weatherproof plastic material and having cooperative characteristics to be mounted onto said vehicle as delivered from its factory.

21

22

23

24

25

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

**12.** (New) The rooftop used in combination with a vehicle suitable for traveling over rough terrain having four wheels and exhibiting the characteristics or capable of exhibiting the characteristics of a jeep set forth in claim **11**, further characterized in that said vehicle is a CJ-7 or wrangler.

26

2728